

## DEUREX HDPE Micro 300

### TECHNICAL INFORMATION


<b>Chemical description:</b>	Micronized HDPE (High-Density Polyethylen)						
<b>Applications:</b>	<ul style="list-style-type: none"> <li>- Masterbatch – for pigments that are difficult to disperse</li> <li>- Plastics processing</li> </ul>						
<b>Benefits:</b>	<ul style="list-style-type: none"> <li>- Even color distribution</li> <li>- Increase in color efficiency with lower dosing</li> <li>- Less machine damage</li> <li>- Shorter dispersion time</li> <li>- Material savings</li> <li>- Better storage stability</li> <li>- UV protection</li> <li>- Ideal for thin-walled &amp; visible plastic parts</li> <li>- Extremely large surface area</li> <li>- Dosable &amp; flowable</li> <li>- Reduction of the number of extrusion processes</li> </ul>						
<b>Properties:</b>	<ul style="list-style-type: none"> <li>- Extremely large surface area – dosable – flowable – without pigments</li> <li>- 27 x larger surface area than HDPE granules</li> </ul>						
<b>Technical data:</b>	<table> <tr> <td>Colour:</td> <td>White</td> </tr> <tr> <td>Delivery form:</td> <td>Micronized powder</td> </tr> <tr> <td>Packaging:</td> <td>Big bags, bags</td> </tr> </table>	Colour:	White	Delivery form:	Micronized powder	Packaging:	Big bags, bags
Colour:	White						
Delivery form:	Micronized powder						
Packaging:	Big bags, bags						

	Minimum	Maximum	Method
Particle size (D50):		< 300 µm	ISO 13320
MFR (190°C, 5.0 kg) (HDPE)*:		23 g/10 min	ISO 1133
Density (23 °C) (HDPE):	0,95 g/cm <sup>3</sup>	0,98 g/cm <sup>3</sup>	ISO 1183

\* Part of certificate of analysis

In addition to DEUREX HDPE Micro 300, we also offer you ready-to-use compounds of HDPE and WAX. These products can be found under the MASTERWAX 300 series brand.

<b>MASTERWAX 305</b>	Spot coated,	95% DEUREX HDPE Micro 300,	5% DEUREX E 0920 M
<b>MASTERWAX 310</b>	Eco coated,	90% DEUREX HDPE Micro 300,	10% DEUREX E 0920 M
<b>MASTERWAX 325</b>	Fully coated,	75% DEUREX HDPE Micro 300,	25% DEUREX E 0920 M
<b>MASTERWAX 350</b>	Double coated,	50% DEUREX HDPE Micro 300,	50% DEUREX E 0920 M
<b>MASTERWAX TM</b>	Tailor made,	Select your preferred dose and your favourite DEUREX wax	



This data sheet is based on our current knowledge and experience. In view of the individual factors that may affect processing and application, this data does not relieve users from the responsibility of carrying out their own tests and experiments, neither do they imply any legally binding assurance of certain properties. Existing industrial/commercial protective laws have to be considered by the recipient. Updated versions of the data sheet replace all formerly existing versions.