

DEUREX® C 0112 O

TECHNICAL INFORMATION

Chemical description: Oil-based dispersion based on micronized EDTA-Na₂ **DEUREX® C 0118 M**

Application: Oil-based Printing inks
- Offset printing inks (Sheetfed, Web offset, Heatset, Coldset)

Oil-based Wood Protection

Hot foil stamping

Properties:

- Complexing agent for multivalent metal ions
- Retardation of drying process
- Prevent from toning and piling in offset printing

Solvent: Linseed oil

Technical data:

Colour:	Lightly yellow
Delivery form:	Liquid
Packaging:	Drum 250 kg, hobbock 25 kg

	Minimum	Maximum	Method
Particle size:		98 % < 12 µm	LV 09
Typical value:		50 % ~ 6 µm	
Solid content*:	49.0 %	51.0 %	LV 6

* part of certificate of analysis

Processing:

- Stir well before usage
- Consume quickly after opening

Storage, shelf life:

- Store at temperatures between +5 °C and +35 °C, avoid frost
- Shelf life 6 months in closed original container

Alternative variants: We also make this product with your own oil and any other solid concentration

Alternative delivery form: **DEUREX® C 0118 M** – Micronized EDTA-Na₂ powder, 98% < 18 µm