

BIOMER 129

TECHNICAL INFORMATION

Product Family:	<u>BIOMER – biodegradable waxes</u>
Product Description:	Hardwax, modified, dry oxidized, branched chains
Benefits:	Biodegradable high melting wax to prevent the formation of micro plastics
Biodegradability:	Raw material is biodegradable according to the test method OECD 301 B
Technical Data:	Colour: White

	Typical value	Method
Drop point*:	130 – 135 °C	ASTM D 3954
Viscosity:	< 2.000 mPas	ISO 3219
Acid value:	23 – 27 mgKOH/g	ASTM D 1386
Penetration:	< 2 mm*10 ⁻¹	ASTM D 1321

BIOMER 129 P Form of delivery: Powder

BIOMER 129 M Form of delivery: Micronized powder
Particle size*: 50 % < 10 µm ISO 13320

BIOMER 129 D Form of delivery: Dispersion, water-based wax
Particle size, Disp: 50 % < 7 µm ISO 1524
Solid content, Disp*: 49 – 51 % IR Moisture-Analyzer

BIOMER 129 O Form of delivery: Dispersion, oil-based wax
Particle size, Wax*: 50 % < 10 µm ISO 13320
Solid content, Disp: 18 – 20 %

**part of certificate of analysis*

Storage, Shelf life:

Solid form: Dry storage. Store at temperatures (+5 °C to +28 °C)
Shelf life: minimum 24 months

Liquid form: Store in closed original container at temperatures (+5 °C to +28 °C); Avoid frost.
Shelf life: minimum 6 month

Further Information: Application, Properties, alternative Products:
BIOMER 129 P: <https://www.deurex.com/productsearch/BIOMER-129-P/>
BIOMER 129 M: <https://www.deurex.com/productsearch/BIOMER-129-M/>
BIOMER 129 D: <https://www.deurex.com/productsearch/BIOMER-129-D/>
BIOMER 129 O: <https://www.deurex.com/productsearch/BIOMER-129-O/>

This data sheet is based on our current knowledge and experience. In view of the individual factors that may affect processing and application, this data does not relieve users from the responsibility of carrying out their own tests and experiments, neither do they imply any legally binding assurance of certain properties. Existing industrial/commercial protective laws have to be considered by the recipient. Updated versions of the data sheet replace all formerly existing versions.