

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

PRINTPLEX O

UFI:

6940-G095-V009-WQ8F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Additive

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

DEUREX AG

Dr.-Bergius-Str. 8 – 12

06729 Elsteraeue

Germany

Telephone: +49(0)3441 / 8 29 29 29

Telefax: +49(0)3441 / 8 29 29 28

E-mail: info@deurex.com

Website: www.deurex.com

1.4. Emergency telephone number

Common poisons information centre of the Federal States

Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia

D-99089 Erfurt, 24h: +49(0)361-730730

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (inhalative) (Acute Tox. 4)	H332: Harmful if inhaled.	Calculation method.
STOT-repeated exposure (STOT RE 2)	H373: May cause damage to organs through prolonged or repeated exposure.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark



GHS08

Health hazard

Signal word: Warning

Hazard statements for health hazards

H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

Supplemental hazard information: none

Precautionary statements Prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.

Precautionary statements Response

P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P314	Get medical advice/attention if you feel unwell.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

EDTA 2Na Dispersion

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 6381-92-6 REACH No.: 01-2119486775-20-0000	EDTA 2Na Acute Tox. 4 (H332), STOT RE 2 (H373)   Warning Acute Toxicity Estimate ATE (oral) 2,800 mg/kg ATE (inhalation, dust/mist) 0.03 mg/L	28 - ≤ 60 weight-%
CAS No.: 8001-26-1 EC No.: 232-278-6	Refined linseed oil The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. Acute Toxicity Estimate ATE (oral) > 2,000 mg/kg	30 - < 55 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. Get medical advice/attention. Get medical advice/attention if you feel unwell.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing.

Following ingestion:

Rinse mouth. Let 1 glass of water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

SECTION 5: Firefighting measures

5.1. Extinguishing media

No data available

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Avoid high temperatures or direct sunlight.

Further information on storage conditions:

Can be stored for at least 6 months if stored under the correct conditions.

7.3. Specific end use(s)

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
DFG (DE) from 2 Jul 2024	silicon dioxide CAS No.: 7631-86-9 EC No.: 231-545-4	① 0.02 mg/m ³ ② 0.16 mg/m ³ ⑤ (alveolengängige Fraktion)
TRGS 900 (DE) from 18 Jun 2024	silicon dioxide CAS No.: 7631-86-9 EC No.: 231-545-4	① 1 mg/m ³ ② 8 mg/m ³ ⑤ (eintembare Fraktion) AGS, 2, Y

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Form: Dispersion

Colour: light yellow

Odour: not determined

flammability: No data available

Safety relevant basis data

Parameter	Value	① Method ② Remark
pH	No data available	
Melting point	No data available	
Freezing point	< 0 °C	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation rate	No data available	
Auto-ignition temperature	No data available	
Upper/lower flammability or explosive limits	No data available	
Vapour pressure	No data available	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

Parameter	Value	① Method ② Remark
Vapour density	<i>No data available</i>	
Density	<i>No data available</i>	
Bulk density	<i>not applicable</i>	
Water solubility	<i>No data available</i>	
Dynamic viscosity	<i>No data available</i>	
Kinematic viscosity	<i>No data available</i>	
Solid content	49 – 51 %	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Refined linseed oil	CAS No.: 8001-26-1	EC No.: 232-278-6
LD₅₀ oral:	>2,000 mg/kg (Rat)	
EDTA 2Na	CAS No.: 6381-92-6	
LD₅₀ oral:	2,800 mg/kg (Rat)	
LC₅₀ Acute inhalation toxicity (dust/mist):	0.03 mg/L (Rat)	
silicon dioxide	CAS No.: 7631-86-9	EC No.: 231-545-4
LD₅₀ oral:	>1,000 mg/kg (rat)	OECD Guideline 401 (Acute Oral Toxicity)
LD₅₀ dermal:	>2,000 mg/kg (rat)	OECD Guideline 402 (Acute Dermal Toxicity)
LC₅₀ Acute inhalation toxicity (vapour):	>2.2 mg/L 4 h (rat)	OECD Guideline 403 (Acute Inhalation Toxicity)
LC₅₀ Acute inhalation toxicity (dust/mist):	<2.19 mg/L 4 h (rat)	

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Harmful if inhaled.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Refined linseed oil	CAS No.: 8001-26-1 EC No.: 232-278-6
LC₅₀:	1,000 mg/L 4 d (fish, fish)
EDTA 2Na	CAS No.: 6381-92-6
LC₅₀:	41 mg/L 4 d (crustaceans, Daphnia magna, Oncorhynchus mykiss, Lepomis macrochirus)
LC₅₀:	62 mg/L 4 d
LC₅₀:	159 mg/L 4 d
LC₅₀:	>116 mg/L 4 d (fish, Oncorhynchus mykiss (previous name: Salmo gairdneri)) OECD Guideline 203 (Fish, Acute Toxicity Test)
EC₅₀:	860 mg/L (Daphnia magna)
EC₅₀:	≥25.7 mg/L 2 d (Daphnia magna)
EC₅₀:	140 mg/L 1 d (Daphnia magna)
EC₅₀:	>60 mg/L 3 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)) OECD Guideline 201 (Alga, Growth Inhibition Test)
EC₅₀:	>114 mg/L 2 d (crustaceans, Daphnia magna) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
NOEC:	705 mg/L 1 d (Brachydanio rerio, Danio rerio)
NOEC:	610 mg/L 1 d (Daphnia magna)
NOEC:	>100 mg/L 3 d
NOEC:	48.4 mg/L 3 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)) OECD Guideline 201 (Alga, Growth Inhibition Test)
NOEC:	25 mg/L 21 d (crustaceans, Daphnia magna)
LOEC:	625 mg/L 21 d
LOEC:	79.4 mg/L 3 d
LOEC:	48.4 mg/L 3 d
LOEC:	50 mg/L 21 d (crustaceans, Daphnia magna)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

silicon dioxide CAS No.: 7631-86-9 EC No.: 231-545-4
LC₅₀: 1,033.016 mg/L 4 d (fish, Fishes species) QSAR
LC₅₀: 512.078 mg/L 2 d (crustaceans, Daphnid species) QSAR model
EC₅₀: >1,000 mg/L 1 d (Daphnia magna)
EC₅₀: >173.1 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus))
EC₅₀: 217.576 mg/L 4 d (Algae/water plant, Green Algae) QSAR model
EC₅₀: >5,000 mg/L 2 d (crustaceans, Daphnia magna) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
NOEC: 173.1 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus))
NOEC: 500 mg/L 4 d (fish, Pimephales promelas) OECD Guideline 203 (Fish, Acute Toxicity Test)
NOEC: 5,000 mg/L 2 d (crustaceans, Daphnia magna) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
NOEC: 68 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)
LOEC: 149.2 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

EDTA 2Na CAS No.: 6381-92-6
Log K_{ow}: 11.7
Bioconcentration factor (BCF): 1.8 Species: Lepomis macrochirus
silicon dioxide CAS No.: 7631-86-9 EC No.: 231-545-4
Log K_{ow}: 0.53

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Refined linseed oil CAS No.: 8001-26-1 EC No.: 232-278-6
Results of PBT and vPvB assessment: —
EDTA 2Na CAS No.: 6381-92-6
Results of PBT and vPvB assessment: —
silicon dioxide CAS No.: 7631-86-9 EC No.: 231-545-4
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

[DE] National regulations

Water hazard class

WGK:

2 - obviously hazardous to water

Description:

Self-classification (mixture; calculation rule).

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

Substance name	Type	source of supply
silicon dioxide CAS No.: 7631-86-9 EC No.: 231-545-4	LD ₅₀ oral; LD ₅₀ dermal; LC ₅₀ Acute inhalation toxicity (vapour); LC ₅₀ Acute inhalation toxicity (dust/mist); LC ₅₀ ; EC ₅₀ ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/
EDTA 2Na CAS No.: 6381-92-6	LC ₅₀ ; EC ₅₀ ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Feb 2026

Print date: 2 Feb 2026

Version: 5

DEUREX
THE WAX COMPANY

PRINTPLEX O

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (inhalative) (Acute Tox. 4)	H332: Harmful if inhaled.	Calculation method.
STOT-repeated exposure (STOT RE 2)	H373: May cause damage to organs through prolonged or repeated exposure.	Calculation method.

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

16.6. Training advice

No data available

16.7. Additional information

No data available