

## Your search

**Product series:**

- PTFE, PTFE coated waxes

## Product list

Micronized PTFE	Drop point °C	Melting point °C	Particle size 98 % x µm	Density (Additive) g/cm <sup>3</sup>	PDF
DEUREX F 6008 M PTFE, micronized	-	320.0-340.0	8	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>
DEUREX F 6114 M PTFE double coated wax, micronized	110-120	320.0-340.0	14	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>
DEUREX F 6214 M PTFE fully coated wax, micronized	110-120	320.0-340.0	14	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>
DEUREX F 6414 M PTFE eco coated wax, micronized	110-120	320.0-340.0	14	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>

PTFE coated waxes	Drop point °C	Melting point °C	Density (Wax) g/cm <sup>3</sup>	Particle size 98 % x µm	Density (Additive) g/cm <sup>3</sup>	PDF
DEUREX F 61 A PTFE double coated wax, finest powder	110-120	320.0-340.0	0.94-0.95	-	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>
DEUREX F 61 TEX PTFE double coated wax, powder	110-120	320.0-340.0	0.94-0.95	-	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>
DEUREX F 62 A PTFE fully coated wax, finest powder	110-120	320.0-340.0	0.94-0.95	-	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>
DEUREX F 62 TEX PTFE fully coated wax, powder	110-120	320.0-340.0	0.94-0.95	-	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>
DEUREX F 63 A PTFE spot coated wax, finest powder	110-120	320.0-340.0	0.94-0.95	-	2.15-2.25	<a href="#">TDS</a> <a href="#">MDS</a>

## Product list

PTFE coated waxes	Drop point °C	Melting point °C	Density (Wax) g/cm <sup>3</sup>	Particle size 98 % x µm	Density (Additive) g/cm <sup>3</sup>	PDF
DEUREX F 63 TEX PTFE spot coated wax, powder	110-120	320.0-340.0	0.94-0.95	-	2.15-2.25	TDS MDS
DEUREX F 6310 M PTFE spot coated wax, micronized	110-120	320.0-340.0	0.94-0.96	10	2.15-2.25	TDS
DEUREX F 6314 M PTFE spot coated wax, micronized	110-120	320.0-340.0	0.94-0.95	14	2.15-2.25	TDS MDS
DEUREX F 64 A PTFE eco coated wax, finest powder	110-120	320.0-340.0	0.94-0.95	-	2.15-2.25	TDS MDS
DEUREX F 64 TEX PTFE eco coated wax, powder	110-120	320.0-340.0	0.94-0.95	-	2.15-2.25	TDS MDS
Water-based wax emulsions	Drop point °C	Solid content %	Particle size 98 % x µm	PDF		
DEUREX F 6001 W Water-based wax emulsion made of micronized PTFE	-	58-60	1	TDS MDS		
Water-based wax dispersions	Drop point °C	Solid content %	Particle size 98 % x µm	PDF		
DEUREX F 6408 W Water-based wax dispersion based on PTFE coated wax	110-120	44-46	8	TDS MDS		

## Product list

Oil-based wax dispersions	Drop point °C	Solid content %	Particle size 98 % x µm	PDF
DEUREX F 6012 O Oil-based wax dispersion based on PTFE	-	29-31	12	<a href="#">TDS</a> <a href="#">MDS</a>
DEUREX F 6412 O Oil-based wax dispersion based on PTFE coated wax	110-120	33-36	12	<a href="#">TDS</a> <a href="#">MDS</a>