

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Nov 2023

Print date: 15 Nov 2023

Version: 1

DEUREX[®]
THE WAX COMPANY

BIOMER 129 E

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

BIOMER 129 E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Additive

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

DEUREX AG

Dr.-Bergius-Str. 8 - 12

06729 Elsteraue

Germany

Telephone: +49(0)3441 / 8 29 29 29

Telefax: +49(0)3441 / 8 29 29 28

E-mail: info@deurex.com

Website: www.deurex.com

1.4. Emergency telephone number

Common poisons information centre of the Federal States
Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia
D-99089 Erfurt, 24h: +49(0)361-730730

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	Calculation method.
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Nov 2023

Print date: 15 Nov 2023

Version: 1

DEUREX[®]
THE WAX COMPANY

BIOMER 129 E

Signal word: Warning

Hazard statements for health hazards

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

Supplemental hazard information

EUH208	Contains 1,2-Benzisothiazol-3-one, Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6]. (3:1). May produce an allergic reaction.
--------	---

Precautionary statements Prevention

P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Precautionary statements Response

P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor/.../ if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available








SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

emulsion

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68439-46-3	Alcohols, C9-11, ethoxylated Acute Tox. 4 (H302), Eye Irrit. 2 (H319)  Warning	6 - ≤ 12 weight-%
CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6 REACH No.: 01-2120761540-60	1,2-Benzisothiazol-3-one Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Eye Dam. 1 (H318), Skin Irrit. 2 (H315), Skin Sens. 1 (H317)    Danger Specific concentration limit (SCL) Skin Sens. 1; H317: C ≥ 0.05%	0 - ≤ 0.005 weight-%
CAS No.: 55965-84-9 Index No.: 613-167-00-5 REACH No.: 01-2120764691-48	Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) Acute Tox. 2 (H330, H310), Acute Tox. 3 (H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1C (H314), Skin Sens. 1A (H317)    Danger EUH071 M-factor (acute): 100 M-factor (chronic): 100 Specific concentration limit (SCL) Skin Corr. 1C; H314: C ≥ 0.6% Skin Irrit. 2; H315: 0.06% ≤ C < 0.6% Eye Dam. 1; H318: C ≥ 0.6% Eye Irrit. 2; H319: 0.06% ≤ C < 0.6% Skin Sens. 1A; H317: C ≥ 0.0015%	0 - < 0.002 weight-%

Full text of H- and EUH-phrases: see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Nov 2023

Print date: 15 Nov 2023

Version: 1

DEUREX[®]
THE WAX COMPANY

BIOMER 129 E

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Let 1 glass of water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

No data available

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Nov 2023

Print date: 15 Nov 2023

Version: 1



BIOMER 129 E

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: light yellow

Odour: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	8 - 10		
Melting point	<i>not determined</i>		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Nov 2023

Print date: 15 Nov 2023

Version: 1

DEUREX[®]
THE WAX COMPANY

BIOMER 129 E

Parameter	Value	at °C	① Method ② Remark
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	<i>not determined</i>		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	1 g/cm ³		
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	<i>not determined</i>		
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	20 mPa* s	40 °C	
Kinematic viscosity	<i>not determined</i>	4 °C	
Solid content	34 - 36		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

May cause an allergic skin reaction. Contains 1,2-Benzisothiazol-3-one. May produce an allergic reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Nov 2023

Print date: 15 Nov 2023

Version: 1

DEUREX[®]
THE WAX COMPANY

BIOMER 129 E

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Alcohols, C9-11, ethoxylated CAS No.: 68439-46-3
EC ₅₀ : 1.2 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
1,2-Benzisothiazol-3-one CAS No.: 2634-33-5 EC No.: 220-120-9
EC ₅₀ : 1.2 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) CAS No.: 55965-84-9
LC ₅₀ : 0.0052 mg/L 4 d (Onchorhynchus mykiss) OECD 203
EC ₅₀ : 0.048 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
NOEC: 0.00064 mg/L 21 d (crustaceans) OECD 211

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) CAS No.: 55965-84-9
Biodegradation: Yes, rapidly

12.3. Bioaccumulative potential

Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) CAS No.: 55965-84-9
Log K _{ow} : 117
Bioconcentration factor (BCF): 3.16

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Alcohols, C9-11, ethoxylated CAS No.: 68439-46-3
Results of PBT and vPvB assessment: —
1,2-Benzisothiazol-3-one CAS No.: 2634-33-5 EC No.: 220-120-9
Results of PBT and vPvB assessment: —
Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) CAS No.: 55965-84-9
Results of PBT and vPvB assessment: —

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Nov 2023

Print date: 15 Nov 2023

Version: 1

DEUREX[®]
THE WAX COMPANY

BIOMER 129 E

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

[DE] National regulations

Water hazard class

WGK:

2 - deutlich wassergefährdend

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15 Nov 2023

Print date: 15 Nov 2023

Version: 1

DEUREX[®]
THE WAX COMPANY

BIOMER 129 E

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	Calculation method.
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Supplemental hazard information	
EUH071	Corrosive to the respiratory tract.

16.6. Training advice

No data available

16.7. Additional information

No data available